

## TESTER-A2 (Art.899-02)

### Professional fencing tester, for testing:

- epees, foils, sabres
- **bodycords** (also with English bayonet plug)
- **reels, cable masks, floor cables**
- **complete weapon circuits** (including weapon, reel and cables)
- **conductive jackets and material** (via the proper optional weight art. 899-11)

### Features

- **Easy use for quick checking:** automatic control of values measured against FIE approved ones or against those set by the user. The positive or negative outcome of the test is indicated by green or red LEDs respectively, and by an acoustic signal.
- **Professional use for fencing technicians:** the wide range of information shown on the display allows checking the equipment or the cause of malfunction easily.
- **Simultaneous checking of all resistance values** among the various conductors, much like when checking signalling apparatus but with greater precision and resolution. Between 0 and 20Ω, the resolution is 0,1Ω.
- **Quick and accurate measuring of resistance values:** common multimeters are not suitable measuring contact resistances as they use voltage and current values that are too low.
- **Signals micro-breaks of the circuits** which common testers are unable to detect. Signaling occurs by way of red LEDs and an acoustic signal.
- **Selection 4 modes of display:**
  - Numerical values** (photo): for a complete and professional check.
  - Analog bar** (photo): for display of rapid resistance variations.
  - Time-graphic** (photo): displays the variation in resistance time.
  - Hit-graphic** (photo): memorizes and displays the behavior of the resistance of the tip contact during a hit.
- **Tester probe provided for checking weapon parts** (guard, blade, etc.).
- **Easy fastening to table** via provided clamp. It allows the connectors to be inserted/extracted without having to hold the device tightly by hand.
- **Internal USB port** for future software updates.
- **Internal rechargeable battery:** circa 10 hour duration, display of level; automatic switch off after 15 minutes of inactivity.
- Power supply 100-240V provided. Supplies power to the device while also recharging the battery.
- Size and weight: width 21cm, height 12cm, depth 14cm. Weight 2,4kg.

### Articles provided, included with the Tester-A2 (art.899-02)

- **Art.290-24 Battery charger 100-240V/14.4Vcc**
- **Art.R290 Rechargeable battery 6V 1,2Ah (there are 2 batteries in the tester).**
- **Art.868 Clamps for fastening to table.**
- **Banana plug pin to crocodile tip connection.**

### Optional articles (not included)

- **Art.899-11 Weight 500g for Tester-A2 (checks conductive material).** Photo1 , Photo2 . Made in stainless steel to avoid oxidation. The green and red LEDs on the weight indicate, respectively, good conductance or else micro-breaks in the conductive material.
- **Art.899-20 Carrying case for Tester-A2.** Convenient carrying case for holding the Tester-A2 and all its accessories and cables.
- **Art.899-24 Kit containing 2 test bodycords for Tester-A2.** Includes an epee bodycord and foil/sabre bodycord with 2-pins plug.



### Item codes and prices (not including VAT)




Art.899-02 **EUR 680.00**  
**TESTER-A2 professional tester for fencing**  
 Size: 21,0x12,0x14,0cm. - Weight: 2,5kg.



Art.899-11 **EUR 135.00**  
**Weight 500g for checking conductive material via the TESTER-A2**  
 Weight: 0,6kg.



Art.899-20 **EUR 143.00**  
**Carrying case for Tester-A2**  
 Size: 34x28x16,5cm. - Weight: 1,0kg.



Art.899-24 **EUR 72.00**  
**Kit containing 2 test bodycords for Tester-A2**  
 Weight: 0,2kg.



Art.R290 **EUR 19.00**  
**Rechargeable battery 6V 1.2Ah for INOUT-Display/1/2 and TESTER-A2**  
 Spare part  
 Weight: 0.314kg.



Art.290-24 **EUR 39.00**  
**BATTERY CHARGER 100-240V/14.4Vcc 0.5A**  
 Spare part for the following products:  
 INOUT-4-8, WF1, TESTER-A2, INOUT-1s, INOUT-2s  
 Weight: 0.22kg.

Length 1.3m. The bodycord wires are soldered to the connectors for guaranteed reliability over time and a resistance inferior to 0.2 ohm.

**YouTube videos:**

- [EPEE test](#)
- [FOIL test](#)
- [SABRE test](#)
- [BODYCORDS test](#)
- [JACKET test](#)

FAVERO ELECTRONICS Srl - Italy - [www.favero.com](http://www.favero.com) - tel +39 0422 874140 - Email : [favero@favero.com](mailto:favero@favero.com) - 17/05/2025