

PC-INTERFACE

(Art.745-04, Art.745-06, Art.745-08)

Esta página está solamente disponible en inglés y italiano. Aquí sigue la versión inglesa.

Art.745-04 PC-INTERFACE-32 (32 Lamp. + 32 Box)

Art.745-06 PC-INTERFACE-64 (64 Lamp. + 64 Box)

Art.745-08 PC-INTERFACE-96 (96 Lamp. + 96 Box)

The **PC-INTERFACE** is a suitable device useful for those who wish to manage a billiards room with a PC (Personal Computer) using a own customized software application. Such device, connected to the personal computer RS232 serial port, allows

- the switching on and the shutdown of the billiards lamps,
- the opening to distance of the ball boxes, and also
- the verification of their status (open or closed)

The **PC-INTERFACE** may manage up to 96 billiards (96 lamps + 96 ball boxes) through the suitable controllers [CONTROL-LAMP-16](#) and [CONTROL-BALL-16](#).

To a **PC-INTERFACE-32** it is possible to connect up to:

- 2 controllers for lamps CONTROL-LAMP-16 (2 x 16 = 32), and
- 2 controllers for ball boxes CONTROL-BALL-16 (2 x 16 = 32).

We manufacture also the model **PC-INTERFACE-64**, to which you can connect a maxim of

- 4 CONTROL-LAMP-16 controllers (4 x 16 = 64) and
- 4 CONTROL-BALL-16 controllers (4 x 16 = 64)

to manage up to 64 billiards, and the model **PC-INTERFACE-96** to which you can connect a maxim of

- 6 CONTROL-LAMP-16 controllers (6 x 16 = 96) and
- 6 CONTROL-BALL-16 controllers (6 x 16 = 96)

to manage up to 96 billiards.



Códigos de artículos y precios (IVA no incluido)



Art.745-04

...PC-Interface-32 (32 Lámparas + 32 Box bolas)

Dimensiones: 16x12x7,7cm. - Peso: 0.6kg.



Art.745-06

...PC-Interface-64 (64 Lámparas + 64 Box bolas)

Dimensiones: 16x12x7,7cm. - Peso: 0.6kg.

PC-INTERFACE ACCESSORIES

CONTROL-LAMP

Is designed for controlling the activation of 4, 8 or 16 lamps or other electrical appliances. Each of the 4, 8 or 16 outputs is relay-controlled and protected by a fuse. The load that can be applied to each output is 5A/250V.

CONTROL-BALL

Is designed for controlling the BOXES (cases) which hold the billiard balls. The connection between each BOX and the controller is carried out using two wires at low voltage (24V). The BOX is a sturdy metal container with a simple mechanical system (patented) for controlling the billiard balls. There are BOXES for all types of billiard balls.